

STATEMENT OF ENERGY PERFORMANCE

FWP-Helena Section Warehouse
930 Custer Ave
Helena MT 59601

Date: 8/10/2018
Year Built: 1960

	Baseline:	2012	12/31/2013	Current:
Energy Date:	12/31/2007	12/31/2012	12/31/2013	12/31/2017
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	8,672	8,672	8,672	8,672 Sq. Ft.
Heating Degree Days	6,778	7,046	7,351	7,862
Cooling Degree Days	730	517	579	731

Reported Annual Energy Use:

Site Energy Use:	11.46	10.35	12.18	12.95 MBTU
Site EUI:	1,321	1,193	1,404	1,493 BTU/ft ²
Electricity:	3,358	3,033	3,568	3,794 kWh
Max Electric Demand:	0	0	0	0 kW
Natural Gas:	0	0	0	0 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$411	\$406	\$481	\$535
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$0	\$0	\$0	\$0
Energy Cost/ft ²	\$0.047	\$0.047	\$0.056	\$0.062

Weather Normalized Energy Use:

Site Energy Use:	12.10	10.68	12.18	12.95 MBTU
Site EUI:	1,396	1,232	1,404	1,493 BTU/ft ²
Electricity:	3,548	3,132	3,568	3,794 kWh
Natural Gas:	0	0	0	0 Therms

National Median Energy Use:

Site Energy Use:	165.61	165.61	165.61	165.61 MBTU
Site EUI:	19,097	19,097	19,097	19,097 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	0	0	0	0
Indirect Emissions:	1.4	1.3	1.5	1.6
Total Emissions:	1.4	1.3	1.5	1.6

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	20.1	20.1	20.1	20.1
------------------	------	------	------	------

% Difference from National Median:

Site EUI:	-93.08	-93.75	-92.65	-92.18
Total Emissions:	-93.03	-93.53	-92.54	-92.04

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A